

## Faculty of Medicine Departmend of Medical Education Clinical Skills Education

## Learning Guide

## **Intramuscular Injection**

Aim: At the end of this training session, participants should overpass the steps easily by performing the steps of the skill correctly and timely

**Tools:** Syringe, antiseptic swab, dry tampon, non-sterile gloves, tray, sharps container, needle. injectable medication

## STFPS

- 1. Wash your hands
- 2. Introduce yourself to the patient
- 3. Explain the procedure to the patient
- 4. Observe the patient's verbal and nonverbal response towards receiving injections
- 5. Obtain the informed consent from the patient
- 6. Ensure privacy of patient
- 7. Give an appropriate position to the patient
- 8. Put on gloves
- 9. Check the appropriateness of the medication (drug name, dose, time, route of administration, and date of expiration for vial or ampoule)
- 10. Open the antiseptic swab cover
- 11. Pick up syringe and place needle
- 12. Remove cap-covering top of unused vial to expose sterile rubber seal
- 13. Remove needle cap
- 14. Insert tip of the needle with beveled tip entering first through the center of rubber seal
- 15. Pull back slightly on plunger to aspirate required the amount of medication
- 16. Pull the needle out of the vial
- 17. Hold syringe at a 90-degree angle at eye level, and tap barrel to dislodge any air bubbles
- 18. Push plunger upward to remove possible air from the syringe
- 19. Determine the injection site
- 20. Cleanse the site with an antiseptic swab (apply swab at center of site and rotate outward in a circular direction for about 5 cm)
- 21. Pinch the skin with forefinger and thumb of your passive hand
- 22. Hold the syringe between thumb and forefinger your active hand (as dart, palm down)
- 23. Insert the needle swiftly at a angle of 90-degrees
- 24. Avoid moving syringe while the needle is in the tissue
- 25. Pull back on the plunger to aspirate with your passive hand slowly
- 26. Inject medication slowly
- 27. Withdraw needle while placing dry tampon over injection site smoothly and steadily
- 28. Press gently
- 29. Observe the patient's verbal and nonverbal response after the injection
- 30. Discard uncapped needle into appropriate sharps container
- 31. Discard other materials in a basket with red liner
- 32. Discard the gloves
- 33. Wash your hands